

NEXGO CT20P

Version 1.2 Issued September 2024

[NEXGOGLOBAL.COM](https://nexusglobal.com)

© 2024 NEXGO | The information contained in this document is subject to change without notice. All pictures shown are for illustration purpose only, actual product and software may vary. NEXGO and the NEXGO logo are either trademarks or registered trademarks of NEXGO in the China and/or other countries. All other trademarks or brand names are the properties of their respective holders.





CT20P

Excellent Performance
Smart PIN Pad

The NEXGO CT20P is a smart PIN Pad with a compact and sleek design, perfect for retail. Featuring excellent performance and an optional desktop stand, the CT20P provides a user-friendly experience for various business applications and scenarios.

Performant

Arm Cortex-A53 2.0GHz

Compact

Fit in retail check out experience

Desktop

User-friendly



Excellent Performance

CT20P is powered by Android 11 and uses a quad-core 2.0GHz processor. It adopts 4.0", 480 * 800 IPS LCD Capacitive Touchscreen.



Quad-Core

ARM Cortex-A53
2.0GHz Android 11



Memory

2GB DDR
8GB Flash



Operating Temperature

-10°C - 45°C

Physical Keypad

- PIN entry is more efficient
- The backlit keys are clear and firm
- Optional removable privacy shield
- More in line with traditional input habits



Fits in Various Scenarios



Easy Installation

Three nuts on the back, users can install it on the desktop stand easily.



Support extensive payment methods

All payment methods like magnetic stripe cards, IC cards, contactless card, 1D & 2D barcodes could be supported on this terminal.



Contactless/NFC



Magstripe Cards



IC Cards



1D&2D Codes

CT20P Smart PIN Pad

OS Based on Android11	Processor Quad-Core Processor Cortex A53, 2.0GHz		Memory 2GB RAM + 8GB ROM
Display 4.0", 480 * 800 IPS LCD Capacitive Touchscreen	Card Readers Magnetic stripe cards Chip Cards Contactless Cards		Communication LAN Wi-Fi, 802.11a/b/g/n/ac, 2.4GHz&5GHz BT5.X
Camera Front: 2MP	Keypad 15 physical keys(Numeric/ Function) Removable privacy shield		Card Slots 1 x SD 2 x SAM
	Ports Multifunction cable (integrated USB, LAN, and RS232) Kensington lock		Environmental Operating Temperature : -10°C to 45°C Storage Temperature : -20°C to 70°C Relative Humidity : 10% to 95%(Non-Condensing)
Physical 166 x 82 x 30 mm	Audio 1 x Speaker 1 x Audio jack	Adaptor DC : 5V-2A POE (Optional)	Certifications PCI 6.x, EMV L1, EMV CL1, Quickpass, Paypass, Paywave, TQM, JCB, Discover, Amex, FCC, CE, RoHS

THANK YOU!

[NEXGOGLOBAL.COM](https://nexusglobal.com)

© 2024 NEXGO

