NEXGO T6

Version 2.3 Issued May 2024

NEXGOGLOBAL.COM

© 2024 NEXGO | The information contained in this document is subject to change without notice. All pictures shown are for illustration purpose only, actual product and software may vary. NEXGO and the NEXGO logo are either trademarks or registered trademarks of NEXGO in the China and/or other countries. All other trademarks or brand names are the properties of their respective holders.






T6

Excellent Performance All-in-One Desktop and Portable **POS Terminal**





Excellent Performance Multiple Peripheral Ports All-in-One

Quad-Core Processor

For multi-scenarios

Desktop/Portable



Excellent Performance

T6 is powered by Linux 4.4.X and uses a quad-core 1.3GHz processor. The memory space is up to 512MB RAM/Flash. T6 certified the latest PCI 6.x.

Quad-Core

ARM Cortex-A35 64 Bit 1.3GHz Linux 4.4.X

Memory

256MB FLASH +256MB RAM 512MB FLASH +512MB RAM (Optional)





Multiple Peripheral Ports









More peripheral ports make T6 possible to connect external devices and apply to multi-scenarios.

- PINPAD/ECR (RS232) --- RJ45
- Ethernet --- RJ45
- PSTN --- RJ11
- USB Type-A(Host) & Type-C (Device)
- SIM x 2 & SAM x 2 & SD



Flexible

Two nuts on the back for desktop stand installation. Users can either hold it or install it on the desktop stand. Flexible ways of placement make it comfortably operate to users. Hidden ports allow the wires to go through tidily.











Certifications



















- ✓ Latest PCI 6.x
- ✓ ECC Key Infrastructure
- ✓ DUKPT AES Key Infrastructure

- ✓ RKL Remote Key Download
- ✓ TR-31, TR-34 protocol
- ✓ Multi Certifications and Applications integration
- ✓ Safer Signature Verification and Anti-Theft Solution



T6

OS Linux	Printer High Speed Thermal Printer, Paper Roll Width: 58mm, Diameter: 40mm	Audio 1 x Buzzer 1 x Speaker (Optional)	Adaptor DC 9V/2A
Processor Quad-Core Cortex-A35 1.3GHz	Card Readers Magnetic stripe cards Chip Cards Contactless Cards	Keys 16 Keys for Numbers, Letters, Functions and Power	Physical 80mm(L) * 179mm (W)*70mm(H) 432g(Battery Included)
Memory 256MB RAM +256MB ROM 512MB RAM +512MB ROM(Optional)	Communication 4G/3G/2G(Optional) Wi-Fi, 802.11a/b/g/n/ac, 2.4GHz&5GHz(Optional)	Card Slots 2 x SIM 2 x PSAM 1 x SD	Environmental Operating Temperature: 0°C to 50°C Storage Temperature: -20°C to 70°C
Display 3.5", 320*480 capacitive touch screen 1.9" Customer B&W Screen (Optional)	Battery (Optional) 3.7V/2600mAh PIN Pad Hardware PIN Pad	Ports 1 x Type-C USB 1 x Type-A USB 1 x Ethernet 1 x PINPAD/RS232	Certifications CE,FCC,ROHS/WEEE; EMV3.0, L1&L2, Quickpass, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI6.X



THANK YOU!

