NEXGO N86

Version 9.5 Issued September 2024

NEXGOGLOBAL.COM

© 2024 NEXGO | The information contained in this document is subject to change without notice. All pictures shown are for illustration purpose only, actual product and software may vary. NEXGO and the NEXGO logo are either trademarks or registered trademarks of NEXGO in the China and/or other countries. All other trademarks or brand names are the properties of their respective holders.







N86 **Next Generation Smart POS Terminal**

And Car

Impeccable quality and appearance make N86 irresistible. It delivers strong performance through the operation system powered by Android 9.0 and a quad-core 1.4 GHz highspeed processor. The innovative design combines the arts and advanced protection technology. And N86 is power-efficient, standby time is up to 240 hours.

Performant

Android 9.0 & Quad-Core Processor

Robust

and Artistic Design

Power-Efficient

240+ Hours Standby



Outstanding Performance

N86 is powered by Android 9.0 and uses a quad-core 1.4GHz high-speed processor.

Quad-Core 1.4GHz

Memory 1GB RAM + 8GB Flash 2GB RAM + 16GB Flash(Optional) "Android 9 harnesses the power of artificial intelligence to give you more from your phone. Now it's smarter, faster and adapts as you use it."

Get more

Android 9 Pie





Rock-Solid

N86 has industrial-grade design and can withstand a drop of up to 1.5 meters on the marble floor.

Rugged IP54 Dustproof & Waterproof, Shockproof

ATEX Certified

ATEX International Certification



ATEX Certified

N86 can be safely and reliably used in hazardous workplaces, such as gas stations, chemical industry and petrochemical industry.

It is proved not to be a source of ignition or explosion under potentially explosive atmospheres, and it can withstand a certain extent of blast and heat without causing a secondary explosion or fire.





N86 is not like any Smart POS we designed before as it boldly combines the arts and advanced protection technology which makes N86 the most beautiful and durable smart POS terminal than ever.





Innovative Design


A Piece of Art

Streamlined and Golden Section Design



Power-Efficient

The industry's top level battery performance and ultra-low power consumption design make 7.4V 2600mAh li-ion battery of N86 supports 600+ receipt printings, standby time is up to 240 hours.





600+ Receipts

* 7.4V 2600mAh battery equals to 3.7V 5200mAh battery.





Professional Scanner

The professional scanning engine of N86 supports high-speed recognition of 1D and 2D barcodes even if the barcode is damaged or dirtied.

Symbologies: Codabar, Codablock, Code 11,Coda 39/Code 93/UPC/EAN, DataMatrix, MaxiCode, MicroPDF 417, MSI Code, PDF417,QR code, etc.

Clearer and Faster Printing

A unique high-pressure printing technology is used to the thermal printer of N86, printed text and graphics are clearer. The printing speed is increased to 80 mm per second.



High-Pressure Printing

4

80 mm/s



58 mm





Payment Methods

N86 accepts payments of magnetic strip cards, IC cards, contactless/NFC and 1D&2D codes.





Certifications













CE



















N86 Smart POS Terminal

OS Android 9	Printer High Speed Thermal Printer, Paper Roll Width : 58mm, Diameter: 40mm	Audio 1 x Speaker Optional:1 x Microphone
Processor Quad-core Cortex-A53, 1.4GHz	Card Readers Magnetic stripe cards Chip Cards Contactless Cards	Keys 1 Power Key, 2 Volume
Memory 1GB RAM + 8GB ROM 2GB RAM + 16GB ROM (Micro SD Card Supported, up to 128GB)	Communication 4G/3G/2G Wi-Fi, 802.11b/g/n, 2.4GHz BT4.2	Positioning GPS, GLONASS or Beil
Display 5.0" HD (1280 x 720) Color Screen Capacitive Touchscreen, Multi- Touch Secondary Screen 1.9" FSTN (192 x 32) (Optional)	Battery 7.4V/2600mAh Equals to 3.7V/5200mAh Optional:7.2V/3300mAh Equals to 3.6V/6600mAh	Peripheral Ports 1 x Type C USB OTG 6 PIN POGO PIN
Cameras Rear : 2 MP, FF Optional:5 MP, AF with Flashlight Optional: Front : 2 MP, FF	Card Slots 1 x SIM + 2 x SAM Optional: 2 x SIM+1 x SAM Optional: eSIM 1 x SD	PIN Pad Software PIN Pad Blind PIN Supported

Olume KeysPhysical 194mm(L)x80mm(W)x68.8mm(H) 420g(Battery Included)or BeiDouEnvironmental Operating Temperature : 0°C to 50°C Storage Temperature : -20°C to 60°C Shockproof:1.5mAccessories		
olume Keys194mm(L)x80mm(W)x68.8mm(H) 420g(Battery Included)or BeiDouEnvironmental Operating Temperature : 0°C to 50°C Storage Temperature : -20°C to 60°C Shockproof:1.5mDTGAccessories Charging Base Multi-function Base Scanning Module(Built-in) Wristband Fingerprint Module(Built-in)I tedCertifications CE, ATEX, IP54; EMV3.0, L1&L2, PBOC/QPBOC, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI6.X, UPTS 3.0, Common Criteria	ophone	
or BeiDouOperating Temperature : 0°C to 50°C Storage Temperature : -20°C to 60°C Shockproof:1.5mDTGAccessories Charging Base Multi-function Base Scanning Module(Built-in) Wristband Fingerprint Module(Built-in)I tedCertifications CE, ATEX, IP54; EMV3.0, L1&L2, PBOC/QPBOC, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI6.X, UPTS 3.0, Common Criteria	olume Keys	194mm(L)x80mm(W)x68.8mm(H)
OTGCharging Base Multi-function Base Scanning Module(Built-in) Wristband Fingerprint Module(Built-in)I tedCertifications CE, ATEX, IP54; EMV3.0, L1&L2, PBOC/QPBOC, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI6.X, UPTS 3.0, Common Criteria	or BeiDou	Operating Temperature : 0°C to 50°C Storage Temperature : -20°C to 60°C
CE, ATEX, IP54; ted EMV3.0, L1&L2, PBOC/QPBOC, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI6.X, UPTS 3.0, Common Criteria	DTG	Charging Base Multi-function Base Scanning Module(Built-in) Wristband
	l ed	CE, ATEX, IP54; EMV3.0, L1&L2, PBOC/QPBOC, Paypass, PayWave, JCB, AMEX, Discover, TQM; PCI6.X, UPTS 3.0, Common Criteria
		KI NE

Accessories



Fingerprint Module(Built-in)





Docking Station



Scanning Module(Built-in)

Wristband



Secondary Display (Optional)



Multi-function Base



Docking Station




For Charging Adaptor: Type C 5V/2A



Multi-function Base(V1)

Adaptor: Type C 5V/2A RS232: RJ45, 115200bps LAN: RJ45, 10M/100M







Multi-function Base(V2)

- Adaptor: Type-C 5V/2A
- **RS232:** RJ45, 115200bps





- Charging + Wireless Wi-Fi
- 1 USB-Slave(Type-C)
- 1 RS232(RJ45)
- 1 USB-Host
- 1 Power Port(Type-C)
- 1 LAN(RJ45)



Scanning Module(Built-in)



• **Precision** ≥3mil

• Image Sensor 640*480 CMOS

• Code Scanning

2D: PDF417, QR Codes, Data Matrix, etc. 1D: Code 128, EAN-13, EAN-8, etc.



Wristband

- Prevents N86 from falling
- Elastic and Adjustable







Fingerprint Module(Built-in)





- Comparison: 1:N, 1:1
- **Resolution:** 500dpi

• FAR(False Acceptance Rate) < 0.001% • FRR(False Rejection Rate) < 0.1% • Verification Time < 0.6s

• **Standards:** ANSI378, ISO19794-2



N86 Dual Screens





customer see what they are paying.

• With 1.9" FSTN (192*32) at the front side. Making



THANK YOU!



